

# APPLICATION CHART

## No Mo' Flats™

### The Ultimate Flat Inhibitor



1-888-416-3201

[www.NoMoFlats.com](http://www.NoMoFlats.com)

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>4-in. Rims:</b>		
2.80-4	8	
3.40-4	8	
4.1/3.50 - 4	8	
9/3.50-4	8	
4.10-4	8	
<b>5-in. Rims:</b>		
4.1/3.50 - 5	12	
11X3.50-5	12	
11X4.00-5	12	
10.00X4.50-5	12	
11X4.50-5	12	
10.5X5.00-5	16	
13X3.50-5	16	
11X6.00-5	16	
11X7.00-5	20	
11X7.50-5	20	
<b>6-in. Rims:</b>		
4.10/3.50-6	12	
16X4.00-6	12	
4.00-6	12	
16X4.50-6	16	
5.30-6	16	
6.90/6.00-6	20	
12X6.00-6	20	
14X6.00-6	20	

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>6-in. Rims:</b>		
15X6.00-6		20
13X6.50-6		20
12X8.00-6		24
12X11.00-6		32
<b>7-in. Rims:</b>		
4.50-7		16
4.80-7		16
<b>8-in. Rims:</b>		
4.00-8		16
4.80/4.00-8	8	16
4.30-8		16
4.80-8	8	20
5.70/5.00-8	8	120
18X5.70-8		24
5.70-8	8	24
6.00-8		24
16X6.50-8		28
16.5X6.50-8		28
18X6.50-8		28
18X7.00-8		28
20X7.00-8		28
20.5X7.00-8		28
16X7.50-8		32
18X8.50-8		36
18.5X8.50-8		36

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>8-in. Rims:</b>		
18X9.00-8		36
22X9.00-8		36
18X9.50-8		40
20X10.00-8		40
20.5X10.00-8		40
22.5X10.00-8		40
20X11.00-8		44
21X11.00-8		44
22X11.00-8		44
21X12.00-8		48
<b>9-in. Rims:</b>		
4.80/4.00-9	8	20
6.00-9		28
6.90-9		32
21X11.00-9		36
25X11.00-9		52
22X12.00-9		56
25X12.00-9		56
25X13.00-9		60
<b>10-in. Rims:</b>		
4.50-10		24
6.50-10		32
21X7.00-10		36
7.50-10		40
20X8.00-10		40
20.5X8.00-10		40
22X8.00-10		40
23X8.5-10		44
9.00-10		44
18X9.50-10		48
20X10.00-10		52
22X10.00-10		52
22X11.00-10		56
24X11.00-10		56
20X12.00-10		60
20X14.00-10		72
27X15.00-10		74
15.00-10		74
20X20.00-10		100
20.50-10		104
<b>10.5-in. Rims:</b>		
23.00-10.5		121
<b>11-in. Rims:</b>		
23X8.00-11		44
23.5X8.00-11		44
24X9.00-11		52
<b>12-in. Rims:</b>		
3.00-12		20
4.00-12		24
4.50-12		28
4.80-12		28
5.00-12		32

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>12-in. Rims:</b>		
5.30-12		32
5.70-12		36
6.00-12		36
155/80-12	8	36
7.00-12		44
7.50-12		44
23X8.00-12		48
8.30-12		52
23X8.50-12		52
23X9.00-12		56
27X10.00-12		60
10.00-12		60
23X10.50-12		64
13X12.00-12		72
24X12.00-12		72
26X12.00-12		72
24X13.00-12		80
<b>13-in. Rims:</b>		
155/80-13	12	40
175/80-13	16	44
185/80-13	16	48
<b>14-in. Rims:</b>		
7.50-14		52
7.60-14		52
205/75-14	16	56
215/75-14	16	60
25X8.50-14		60
8.50-14		60
9.50-14		68
11.00-14		76
13.00-14		92
<b>15-in. Rims:</b>		
25X2.50-15		20
4.00-15	12	32
4.40-15	12	32
5.00-15	12	40
5.70-15	16	44
5.90-15	16	44
6.00-15	16	44
6.70-15	16	52
175/85-15	16	52
7.00-15	20	52
25X7.50-15	20	56
7.60-15	20	56
205/85-15	20	60
205/75-15	20	60
8.25-15	20	64
215/75-15	20	64
27X8.50-15		64
28X8.5-15	20	64
8.5-15		64
225/75-15	16	68
235/75-15	24	68
28X9.00-15	24	68
27X9.50-15	24	72
29X9.50-15	24	72

Tire Size	Fluid Ozs.	
	ON ROAD	OFF-ROAD
<b>15-in. Rims:</b>		
30X9.50-15	24	72
32X9.50-15	24	72
250/70-15	24	76
29X10.00-15	24	76
10.00-15		76
25X10.50-15	28	80
27X10.50-15	28	80
31X10.50-15	28	80
36X11.00-15	28	84
11.00-15		84
31X11.50-15	28	88
32X11.50-15	28	88
32X12.00-15	32	92
33X12.00-15	32	92
12.00-15		92
28X12.00-15	32	92
25X12.50-15	32	96
29X12.50-15	32	96
31X12.50-15	32	96
33X12.50-15	32	96
25X12.50-15	32	96
12.50-15		96
28X13.00-15	32	100
31X13.50-15	36	100
36X13.50-15	36	100
365/80-15	36	108
14.50-15		108
32X15.00-15	40	112
35X15.00-15	40	112
31X15.00-15	40	116
38X16.00-15	40	120
21.50-15		160
<b>15.5-in. Rims:</b>		
31X15.00-15.5		116
<b>16-in. Rims:</b>		
4.00-16		32
4.50-16		36
5.00-16		40
5.50-16		44
6.00X16		48
6.50X16		52
6.60-16		52
7.00-16		56
7.20-16		60
7.50-16		60
7.50/8.00-16	20	64
8.00-16		64
8.25-16		68
8.30-16		68
215/85-16	16	68
225/75-16	16	72
225/85-16	16	72
9.00-16		72
235/85-16	16	76
9.50-16		76
245/75-16	16	76
245/85-16	16	76

Tire Size	Fluid Ozs.	
	ON ROAD	OFF-ROAD
<b>16-in. Rims:</b>		
10.00-16		80
255/85-16	16	80
265/75-16	16	84
11.00-16		88
280/70-16	16	88
11.20-16		92
12.40-16		100
12.50-16		100
13.50-16		108
13.60-16		108
<b>16.1-in. Rims:</b>		
11.00-16.1		88
13.50-16.1		108
13.60-16.1		108
14.00-16.1		112
14.5/75-16.1		116
16.50-16.1		132
18.40-16.1		148
35X19.00-16.1		152
38X19.00-16.1		152
38X20.00-16.1		160
21.50-16.1		172
<b>16.5-in. Rims:</b>		
8.75-16.5		72
9.00-16.5		76
10.00-16.5		84
31X10.50-16.5		88
31X12.00-16.5		96
12.00-16.5		100
33X12.50-16.5		104
35X14.50-16.5		120
33X15.00-16.5		124
33X15.50-16.5		128
<b>17-in. Rims:</b>		
7.00-17		60
7.50-17		64
8.25-17		72
<b>17.5-in. Rims:</b>		
7.00-17.5		60
8.00-17.5		72
205/65-17.5		72
215/75-17.5		76
8.50-17.5		76
225/65-17.5		80
225/70-17.5		80
225/75-17.5		80
9.00-17.5		80
235/75-17.5		80
240/55-17.5		84
255/70-17.5		84
10.00-17.5		88
255/60-17.5		88
255/70-17.5		88
11.00-17.5		96
14.00-17.5		124

Tire Size	Fluid Ozs.	
	ON ROAD	OFF-ROAD
<b>17.5-in. Rims:</b>		
36X16.00-17.5		140
<b>18-in. Rims:</b>		
4.00-18		36
6.00-18		56
7.00-18		64
7.50-18		68
10.00-18		92
10.50/80-18		96
10.50-18		96
11.00-18		100
12.00/12.50-18		108
12.50-18		112
12.5/80-18		112
13.00-18		116
335/80-18	40	120
340/80-18	40	120
365/70-18	44	128
400/70-18	48	144
<b>19-in. Rims:</b>		
4.00-19		40
6.00-19		56
<b>19.5-in. Rims:</b>		
7.00-19.5		68
8.00-19.5		80
225/70-19.5	28	88
9.00-19.5		88
9.50-19.5		92
245/70-19.5	32	96
245/75-19.5	32	96
265/70-19.5	36	104
265/75-19.5	36	104
285/70-19.5	36	108
285/75-19.5	36	108
305/70-19.5	40	116
305/75-19.5	40	116
15.00-19.5		148
385/65/19.5	48	148
33X16.00-19.5		156
16.50-19.5		160
435/50-19.5	56	168
445/55-19.5	56	172
445/65/19.5	56	172
18.00-19.5		176
40X19.00-19.5		184
19.50-19.5		192
<b>20-in. Rims:</b>		
7.00-20		72
7.25-20		72
7.50-20		76
8.00-20		80
8.25-20		84
9.00-20		92
9.50-20		96
10.00-20	48	100
10.30-20	48	104

Tire Size	Fluid Ozs.	
	ON ROAD	OFF-ROAD
<b>20-in. Rims:</b>		
10.00/10.50-20	48	204
10.50-20	48	104
11.00-20	48	112
280/70-20	48	112
11.20-20		112
11.50-20		116
300/70-20	48	120
12.00-20		120
12.50-20		124
13.00-20		132
225/80-20	48	132
38X14.00-20		140
41X14.00-20		140
365/80-20	48	144
365/85-20	48	144
14.50-20		144
380/70/20		152
395/85-20		156
400/70/20		160
405/70-20		160
16.00-20		160
17.50-20		176
44X18.00-20		180
50X20.00-20		200
24X24.00-20		240
42X25.00-20		252
47X25.00-20		252
48X25.00-20		252
48X26.5-20		264
48X31.00-20		312
44X41-20		412
<b>20.5-in. Rims:</b>		
24.00-20.5		246
<b>21-in. Rims:</b>		
5.00-21		52
6.00-21		64
12.00-21		128
16.00-21		168
21.00-21		220
23.00-21		244
24.00-21		252
27.25-21		288
<b>22-in. Rims:</b>		
7.50-22		84
8.50-22		96
9.50-22		104
10.00-22		112
11.00-22		120
12.00-22		132
<b>22.5-in. Rims:</b>		
8.00-22.5		92
205/70-22.5	48	92
225/60-22.5	48	100
9.00-22.5	48	92
235/80-22.5	48	104

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>22.5-in. Rims:</b>		
245/75-22.5	48	108
10.00-22.5	48	112
255/70-22.5	48	112
265/70-22.5	48	116
255/80-22.5	48	116
265/75-22.5	48	116
275/70-22.5	48	124
275/80-22.5	48	124
11.00-22.5	48	124
11.50-22.5	48	128
295/60-22.5	48	132
295/70-22.5	48	132
295/75-22.5	48	132
295/80-22.5	48	132
12.00-22.5	48	136
305/75-22.5	48	136
315/60-22.5	52	140
315/70-22.5	52	140
315/80-22.5	52	140
12.50-22.5	52	140
13.00-22.5	52	148
14.00-22.5		160
365/70-22.5	56	164
15.00-22.5		168
385/65-22.5	56	172
15.5-22.5		176
16.00-22.5		180
16.5-22.5		188
425/50-22.5	64	188
425/65-22.5	64	188
445/50-22.5	64	196
445/65-22.5	64	196
455/55-22.5	64	204
41X18.00-22.5		204
18.00-22.5		204
500/60-22.5		220
600/50-22.5		268
700/50-22.5		280
710/40-22.5		316
<b>23.5-in. Rims:</b>		
23.00-23.5		272
<b>24-in. Rims:</b>		
7.20-24		88
7.50-24		104
8.30-24		120
9.00-24		132
9.50-24		140
10.00-24		144
255/70-24		144
11.00-24		144
11.20-24		144
11.25-24		144
11.40-24		144
11.50-24		144
12.00-24		144
12.40-24		148
320/70-24		152

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>24-in. Rims:</b>		
320/75-24		152
320/85-24		152
13.00-24		160
340/85-24		160
13.60-24		164
14.00-24		168
360/70-24		172
14.90-24		176
380/70-24		180
380/85-24		180
15.00-24		180
16.00-24		192
16.50-24		200
420/70-24		200
16.90-24		204
17.00/80-24		204
440/80-24		208
17.50-24		208
18.00-24		216
460/70-24		216
18.30-24		220
18.40-24		220
480/65-24		228
480/70-24		228
19.40-24		232
19.50-24		236
500/70-24		236
20.00-24		240
21.00-24		252
540/65-24		256
540/70-24		256
560/65-24		264
<b>24.5-in. Rims:</b>		
275/80-24.5	44	132
11.00-24.5	44	136
285/75-24.5	48	136
285/80-24.5	48	136
295/75-24.5	48	144
12.00-24.5		146
305/75-24.5	48	146
13.50-24.5		164
355/75-24.5	56	172
15.00-24.5		184
18.00-24.5		220
<b>25-in. Rims:</b>		
265/70-25		132
11.00-25		140
12.00-25		152
13.00-25		164
14.00-25		176
15.50-25		196
16.00-25		200
17.50-25		220
445/80-25		220
445/95-25		220
61X18.00-25		224
20.50-25		256

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>25-in. Rims:</b>		
525/80-25		260
525/95-25		260
21.00-25		264
550/65-25		272
22.00/65-25		276
22.00-25		276
23.00/90-25		288
23.50-25		296
24.00-25		300
25.00/65-25		312
650/65-25		320
660/34-25		324
670/34-25		332
26.50-25		332
705/65-25		348
705/70-25		348
29.50-25		368
750/65-25		368
755/70-25		372
800/50-25		392
850/65-25		420
67X34.00-25		424
54X37.00-25		464
40.50/75-25		508
1050/50-25		516
66X43.00-25		540
66X44.00-25		552
<b>26-in. Rims:</b>		
12.40-26		160
13.60-26		176
14.90-26		196
420/85-26		216
16.90-26		220
18.00-26		236
18.40-26		240
480/80-26		248
580/70-26		296
23.10-26		300
23.50-26		308
24.00-26		312
620/75-26		316
28.00-26		364
750/55-26		384
54X31.00-26		404
57X31.00-26		404
67X34.00-26		444
66X43.00-26		560
<b>28-in. Rims:</b>		
11.20-28		156
11.25-28		160
11.90-28		168
12.4-28		176
13.60-28		192
360/70-28		200
14.90-28		208
380/85-28		208
15.00-28		212

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b>28-in. Rims:</b>		
420/70-28		232
420/85-28		232
16.90-28		236
17.00-28		240
440/80-28		244
18.40-28		260
480/65-28		264
480/70-28		264
21.00-28		296
540/65-28		300
580/70-28		320
600/65-28		332
<b>29-in. Rims:</b>		
21.00-29		304
24.00-29		348
26.50-29		384
29.50-29		428
30.00/65-29		436
775/65-29		444
800/65-29		456
33.25-29		484
875/65-29		500
<b>30-in. Rims:</b>		
4.00-30		60
6.00-30		92
7.20-30		108
9.5-30		144
14.9-30		224
380/85-30		224
420/90-30		248
16.90-30		256
17.00-30		256
18.40-30		276
480/70-30		284
480/80-30		284
480/85-30		284
21.00-30		316
540/65-30		320
520/70-30		344
23.10-30		348
600/70-30		356
620/75-30		368
67X30.00-30		452
67X34.00-30		512
<b>32-in. Rims:</b>		
8.30-32		132
9.50-32		152
12.40-32		200
16.90-32		272
24.50-32		392
650/75-32		408
30.00-32		480
30.50-32		488
800/65-32		504
33.50-32		536
900/55-32		568

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b><u>32-in. Rims:</u></b>		
900/60-32		568
900/65-32		568
35.50-32		568
73X44.00-32		704
68X50.00-32		800
<b><u>33-in. Rims:</u></b>		
18.00-33		296
27.00-33		448
30.00-33		496
33.50-33		552
35/65-33		580
37.50-33		620
35/65-33		576
<b><u>33.5-in. Rims:</u></b>		
13.00-33.5		220
<b><u>34-in. Rims:</u></b>		
11.20-34		192
290/95-34		196
12.40-34		212
320/85-34		216
14.90-34		252
380/85-34		256
385/85-34		260
420/70-34		280
420/80-34		280
420/85-34		280
16.90-34		288
18.40-34		312
18.50-34		316
480/70-34		320
480/85-34		320
20.80-34		356
540/65-34		360
540/75-34		360
23.10-34		392
650/75-34		436
710/75-34		476
<b><u>35-in. Rims:</u></b>		
21.00-35		368
24.00-35		420
29.50-35		516
33.25-35		584
37.25-35		652
<b><u>36-in. Rims:</u></b>		
9.50-36		172
11.20-36		204
12.40-36		224
320/85-36		228
13.60-36		244
13.90-36		250
14.90-36		272
16.9-36		304
18.00-36		324

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b><u>38-in. Rims:</u></b>		
11.20-38		212
12.40-38		236
320/85-38		240
13.60-38		260
14.90-38		284
380/80-38		284
15.50-38		296
16.90-38		320
18.40-38		352
480/80-38		360
500/85-38		376
520/85-38		388
20.80-38		396
580/70-38		436
600/65-38		448
650/65-38		488
650/75-38		488
650/85-38		488
710/70-38		532
800/70-38		600
850/80-38		636
<b><u>39-in. Rims:</u></b>		
33.50-39		652
37.50-39		732
40.00-39		780
40.50/75-39		792
41.25/70-39		804
43.50-39		848
45.00/65-39		880
900/50-39		708
<b><u>42-in. Rims:</u></b>		
9.50-42		200
12.40-42		260
320/80-42		264
320/90-42		264
18.40-42		388
480/80-42		396
500/85-42		412
520/85-42		432
20.80-42		436
620/70-42		512
650/65-42		536
710/70-42		588
900/50-42		744
<b><u>43-in. Rims:</u></b>		
24.00-43		516
<b><u>45-in. Rims:</u></b>		
45.00/65-45		1012
65.00/45-45		1464
<b><u>46-in. Rims:</u></b>		
12.4-46		284
320/90-46		292
340/85-46		308
13.60-46		312

Tire Size	Fluid Ozs. ON ROAD	Fluid Ozs. OFF-ROAD
<b><u>46-in. Rims:</u></b>		
14.9-46		344
380/85-46		344
420/80-46		380
18.40-46		424
480/80-46		436
500/85-46		452
520/85-46		472
620/70-46		560
<b><u>48-in. Rims:</u></b>		
230/95-48		216
<b><u>49-in. Rims:</u></b>		
18.00-49		440
21.00-49		516
24.00-49		588
27.00-49		664
<b><u>50-in. Rims:</u></b>		
320/90-50		316
380/90-50		376
380/105-50		376
480/80-50		472
<b><u>51-in. Rims:</u></b>		
30.00-51		764
33.00-51		844
36.00-51		920
37.50-51		956
50.00/65-51		1276
<b><u>54-in. Rims:</u></b>		
12.40-54		336
320/90-54		340
320/105-54		340
380/90-54		404
<b><u>56.5-in. Rims:</u></b>		
27.00-56.5		764
30.00-56.5		848
<b><u>57-in. Rims:</u></b>		
37.00-57		1056
40.00-57		1140
44.00/80-57		1256
44.00/95-57		1256
49.50-57		1412
50.00/80-57		1424
50.00/90-57		1424
55.00/80-57		1568
<b><u>63-in. Rims:</u></b>		
53.00/63-63		1672
55.00/80-63		1732
58.00/80-63		1828